#### 7-16 DIN Female for 3/8 in FSJ2 and PTS2 cable

### **Product Classification**

**Product Type**Wireless and radiating connector

Product Brand HELIAX®
Product Series FSJ2-50

## General Specifications

Body StyleStraightCable FamilyFSJ2-50Inner Contact Attachment MethodCaptivatedInner Contact PlatingSilver

**Interface** 7-16 DIN Female

Mounting Angle Straight

Outer Contact Attachment Method Compression

Outer Contact PlatingSilverPressurizableNo

#### **Dimensions**

 Height
 28.96 mm | 1.14 in

 Width
 28.96 mm | 1.14 in

 Length
 51.56 mm | 2.03 in


 Diameter
 28.96 mm | 1.14 in

Nominal Size 3/8 in

# Outline Drawing



Page 1 of 4



# **Electrical Specifications**

3rd Order IMD at Frequency-112 dBm @ 910 MHz3rd Order IMD Test MethodTwo +43 dBm carriersAverage Power at Frequency0.7 kW @ 900 MHz

50 ohm **Cable Impedance Connector Impedance** 50 ohm dc Test Voltage 2300 V Inner Contact Resistance, maximum 0.4 m0hm Insulation Resistance, minimum 10000 M0hm **Operating Frequency Band** 0 - 6000 MHz **Outer Contact Resistance, maximum** 1.5 m0hm Peak Power, maximum 13.2 kW RF Operating Voltage, maximum (vrms) 813 V

# VSWR/Return Loss

**Shielding Effectiveness** 

Frequency Band VSWR Return Loss (dB)

**0–2000 MHz** 1.065 30.04

Mechanical Specifications



-110 dB

# F2PDF-C

**Connector Retention Tensile Force** 671.68 N | 151 lbf

Connector Retention Torque2.7 N-m23.897 in lbCoupling Nut Proof Torque35 N-m309.776 in lb

**Coupling Nut Proof Torque Method** IEC 61169-16:9.3.11

**Coupling Nut Retention Force** 1000 N | 224.81 lbf

Coupling Nut Retention Force Method IEC 61169-17:9.3.11

**Insertion Force** 889.64 N | 200 lbf

**Insertion Force Method** IEC 61169-16:9.3.5

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:17

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

**Operating Temperature**  $-55 \,^{\circ}\text{C} \text{ to } +85 \,^{\circ}\text{C} \, (-67 \,^{\circ}\text{F to } +185 \,^{\circ}\text{F})$ 

**Storage Temperature**  $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature  $20~^{\circ}\text{C} + 68~^{\circ}\text{F}$ 

Average Power, Ambient Temperature 40 °C | 104 °F

**Average Power, Inner Conductor Temperature** 100 °C | 212 °F

Corrosion Test Method IEC 60068-2-11

Immersion Depth 1 m

Immersion Test Mating Mated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3
Thermal Shock Test Method IEC 60068-2-14

Packaging and Weights

Vibration Test Method

**Weight, net** 107.47 g | 0.237 lb

## Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

IFC 60068-2-6



# F2PDF-C

ROHS

Compliant/Exempted

**UK-ROHS** 

Compliant/Exempted



\* Footnotes

**Immersion Depth** Immersion at specified depth for 24 hours