# L4TDF-PSA



7-16 DIN Female Positive Stop™ for 1/2 in AL4RPV-50, LDF4-50A, HL4RPV-50 cable

#### **Product Classification**

**Product Type** Wireless and radiating connector

Product Brand HELIAX® | Positive Stop™

Product Series LDF4-50A

Ordering Note ANDREW® standard product (Global)

General Specifications

Body Style Straight

Cable Family AL4-50

**Harmonized System (HS) Code** 85366910 (Coaxial cable and other coaxial electric conductors)

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 7-16 DIN Female

Mounting AngleStraightOuter Contact Attachment MethodRing-flareOuter Contact PlatingTrimetal

Dimensions


 Length
 28.96 mm | 1.14 in

 Diameter
 74.93 mm | 2.95 in

Nominal Size 1/2 in

## Outline Drawing





### **Electrical Specifications**

3rd Order IMD at Frequency -120 dBm @ 910 MHz
3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 1.1 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm dc Test Voltage 4000 V Inner Contact Resistance, maximum 0.8 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 8800 MHz **Outer Contact Resistance, maximum** 1.5 m0hm Peak Power, maximum 40 kW RF Operating Voltage, maximum (vrms) 1415 V

#### VSWR/Return Loss

**Shielding Effectiveness** 

Frequency Band VSWR Return Loss (dB)

**45–1000 MHz** 1.023 38.89



-110 dB

## L4TDF-PSA

1000-2200 MHz	1.023	38.89
2210-3000 MHz	1.041	33.94
3010-5000 MHz	1.083	27.99

#### Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force889.64 N | 200 lbfConnector Retention Torque5.42 N-m | 47.998 in lb

Insertion Force200.17 N | 45 lbfInsertion Force MethodIEC 61169-1:15.2.4

**Interface Durability** 50 cycles

**Interface Durability Method** IEC 61169-4:9.5

Mechanical Shock Test Method MIL-STD-202, Method 213, Test Condition I

#### **Environmental Specifications**

Operating Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $\,^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Storage Temperature  $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $\,^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

**Immersion Depth** 1 m

Immersion Test Mating Unmated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

**Thermal Shock Test Method** MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Unmated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

**Weight, net** 109.17 g | 0.241 lb

#### Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ANDREW® an Amphenol company

# L4TDF-PSA

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

