#### 7-16 DIN Male Positive Stop™ for 7/8 in AVA5-50 cable

#### **Product Classification**

 Product Type
 Wireless and radiating connector

 Product Brand
 HELIAX® | Positive Stop™

Product Series AVA5-50 | AVA5RK-50

#### General Specifications

Body Style Straight

Cable Family AL5-50 | AVA5-50

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

**Interface** 7-16 DIN Male

Mounting AngleStraightOuter Contact Attachment MethodRing-flareOuter Contact PlatingTrimetalPressurizableNo

#### Dimensions


 Length
 52.83 mm | 2.08 in

 Diameter
 37.08 mm | 1.46 in

Nominal Size 7/8 in

#### Outline Drawing





### **Electrical Specifications**

3rd Order IMD at Frequency -120 dBm @ 910 MHz
3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

**Average Power at Frequency** 3.0 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm dc Test Voltage 4000 V Inner Contact Resistance, maximum 0.4 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 5200 MHz **Outer Contact Resistance, maximum** 1.5 m0hm Peak Power, maximum 40 kW RF Operating Voltage, maximum (vrms) 1415 V

#### VSWR/Return Loss

**Shielding Effectiveness** 

Frequency Band VSWR Return Loss (dB)

**45–1000 MHz** 1.023 38.89



-130 dB

## AL5DM-PSA

 1010-2200 MHz
 1.027
 37.51

 2210-3000 MHz
 1.034
 35.54

 3010-5200 MHz
 1.083
 27.99

#### Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force1,334.47 N | 300 lbfConnector Retention Torque8.14 N-m | 72.001 in lbCoupling Nut Proof Torque24.86 N-m | 220.003 in lbCoupling Nut Retention Force1,000.85 N | 225 lbf

**Coupling Nut Retention Force Method** MIL-C-39012C-3.25, 4.6.22

Insertion Force200.17 N | 45 lbfInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability 500 cycles

**Interface Durability Method** IEC 61169-4:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

#### **Environmental Specifications**

Operating Temperature $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )Storage Temperature $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature  $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature  $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$ 

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

**Immersion Depth** 1 m

Immersion Test Mating Unmated

**Immersion Test Method** IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

**Thermal Shock Test Method** MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Unmated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights



# AL5DM-PSA

**Weight, net** 151.61 g | 0.334 lb

### Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant

#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

