400BPNR-C



Type N Male Right Angle for CNT-400 braided cable

Product Classification

 Product Type
 Braided cable connector

 Product Brand
 CNT® | ConQuest®

General Specifications

Body StyleRight angleInner Contact Attachment MethodCaptivatedInner Contact PlatingSilverInterfaceN MaleOuter Contact Attachment MethodClampOuter Contact PlatingTrimetal

Dimensions

 Height
 35.69 mm | 1.405 in


 Width
 22.33 mm | 0.879 in

 Length
 49.28 mm | 1.94 in

Nominal Size 0.405 in

Outline Drawing





0.05 dB

707 V

68 °F

Electrical Specifications

RF Operating Voltage, maximum (vrms)

Insertion Loss, typical	0.05 dB
Attenuation, Ambient Temperature	20 °C

Cable Impedance 50 ohm **Connector Impedance** 50 ohm 2500 V dc Test Voltage Inner Contact Resistance, maximum 1 mOhm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 – 6000 MHz **Outer Contact Resistance, maximum** 0.25 mOhm Peak Power, maximum 10 kW

Page 2 of 4



400BPNR-C

VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

0–3000 MHz 1.064 30.18 **3000–6000 MHz** 1.171 22.08

Mechanical Specifications

Connector Retention Tensile Force330 N | 74.187 lbfConnector Retention Torque0.56 N-m | 4.956 in lbCoupling Nut Proof Torque1.7 N-m | 15.046 in lb

Coupling Nut Proof Torque MethodIEC 61169-16:9.3.6Coupling Nut Retention Force450 N | 101.164 lbfCoupling Nut Retention Force MethodIEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability MethodIEC 61169-16:9.5Mechanical Shock Test MethodIEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Average Power, Ambient Temperature $40 \,^{\circ}\text{C}$ $104 \,^{\circ}\text{F}$ Average Power, Inner Conductor Temperature $100 \,^{\circ}\text{C}$ $212 \,^{\circ}\text{F}$

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14
Vibration Test Method IEC 60068-2-6

Packaging and Weights

Weight, net 135 g | 0.298 lb



400BPNR-C

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

