L2TDM-PL



7-16 DIN Male Positive Lock for 3/8 in LDF2-50 cable

Product Classification

Product TypeWireless and radiating connector

Product Brand HELIAX®

General Specifications

Body StyleStraightCable FamilyLDF2-50Inner Contact Attachment MethodCaptivated

Inner Contact Plating Silver

Interface 7-16 DIN Male

Mounting AngleStraightOuter Contact Attachment MethodRing-flareOuter Contact PlatingTrimetalPressurizableNo

Dimensions

 Height
 1.36 in | 34.544 mm

 Width
 1.36 in | 34.544 mm


 Length
 2.02 in | 51.308 mm

 Diameter
 1.36 in | 34.544 mm

Nominal Size 3/8 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency -107 dBm @ 910 MHz

3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss, typical 0.05 dB

Attenuation, Ambient Temperature 20 °C \mid 68 °F

Average Power at Frequency 0.7 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 V

Inner Contact Resistance, maximum0.4 mOhmInsulation Resistance, minimum10000 MOhm

Operating Frequency Band 0 – 10000 MHz

COMMSC PE°

L2TDM-PL

Outer Contact Resistance, maximum1.5 mOhmPeak Power, maximum15.6 kWRF Operating Voltage, maximum (vrms)894 VShielding Effectiveness-110 dB

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0–960 MHz	1.03	37.6
960–2200 MHz	1.06	31
2200–2700 MHz	1.07	30
2700–4000 MHz	1.09	28
4000–6000 MHz	1.09	27.5
6000-8000 MHz	1.09	27.5
8000-10000 MHz	1.36	16.5

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force151 lbf | 671.681 NConnector Retention Torque23.9 in lb | 2.7 N-mCoupling Nut Proof Torque309.78 in lb | 35 N-mCoupling Nut Retention Force224.81 lbf | 1,000.004 NCoupling Nut Retention Force MethodMIL-C-39012C-3.25, 4.6.22Insertion Force44.96 lbf | 199.992 NInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability500 cyclesInterface Durability MethodIEC 61169-4:17Mechanical Shock Test MethodIEC 60068-2-27

Environmental Specifications

Operating Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Average Power, Ambient Temperature $40 \,^{\circ}\text{C} \mid 104 \,^{\circ}\text{F}$ Average Power, Inner Conductor Temperature $100 \,^{\circ}\text{C} \mid 212 \,^{\circ}\text{F}$ Corrosion Test Method IEC 60068-2-11

COMMSC PE°

L2TDM-PL

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test MethodIEC 60068-2-3Thermal Shock Test MethodIEC 60068-2-14Vibration Test MethodIEC 60068-2-6

Packaging and Weights

Weight, net 102.12 g | 0.225 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

