

#### D-Class 4.3-10 Female for 7/8 in AVA5-50 and AVA5-50FX cable

Product Type Product Series Ordering Note General Specifications Body Style Cable Family

**Inner Contact Attachment Method** 

**Inner Contact Plating** 

**Outer Contact Plating** 

Interface

**Mounting Angle** 

Pressurizable

Length

Diameter

**Nominal Size** 

Dimensions

Straight AVA5-50 | AVA5-50FX Captivated Silver 4.3-10 Female Straight Trimetal No

Wireless and radiating connector

AVA5-50 | AVA5-50FX | AVA5RK-50


ANDREW® standard product (Global)

64.01 mm | 2.52 in 34.8 mm | 1.37 in 7/8 in

# Outline Drawing

Page 1 of 4





## Electrical Specifications

3rd Order IMD at Frequency	-166 -dBc @ 1800 MHz
3rd Order IMD Dynamic Test Method	Two +43 dBm carriers
3rd Order IMD Test Method	Two +43 dBm carriers
Insertion Loss Coefficient, typical	0.05
Average Power at Frequency	3.0 kW @ 900 MHz
Cable Impedance	50 ohm
Connector Impedance	50 ohm
dc Test Voltage	4000 V
Inner Contact Resistance, maximum	0.4 mOhm
Insulation Resistance, minimum	5000 MOhm
Operating Frequency Band	0 – 5000 MHz
Outer Contact Resistance, maximum	1.5 mOhm
Peak Power, maximum	40 kW
RF Operating Voltage, maximum (vrms)	1415 V
Shielding Effectiveness	-130 dB

Page 2 of 4



# A5HF-D

# VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
0–1000 MHz	1.02	40.09
1000–2700 MHz	1.041	33.94
2700–3800 MHz	1.065	30.04

#### Mechanical Specifications

Attachment Durability	25 cycles
Connector Retention Tensile Force	1,334.47 N   300 lbf
Connector Retention Torque	8.14 N-m   72.001 in lb
Insertion Force	200.17 N   45 lbf
Insertion Force Method	IEC 61169-1:15.2.4
Interface Durability	50 cycles
Interface Durability Method	IEC 61169-4:9.5
Mechanical Shock Test Method	IEC 60068-2-27

## **Environmental Specifications**

Operating Temperature	-40 °C to +85 °C (-40 °F to +185 °F)
Storage Temperature	-55 °C to +85 °C (-67 °F to +185 °F)
Attenuation, Ambient Temperature	20 °C   68 °F
Average Power, Ambient Temperature	40 °C   104 °F
Corrosion Test Method	IEC 60068-2-11
Immersion Depth	1 m
Immersion Test Mating	Mated
Immersion Test Method	IEC 60529:2001, IP68
Moisture Resistance Test Method	MIL-STD-202F, Method 106F
Thermal Shock Test Method	MIL-STD-202, Method 107, Test Condition A-1, -55 °C to +85 °C
Vibration Test Method	IEC 60068-2-6
Water Jetting Test Mating	Mated
Water Jetting Test Method	IEC 60529:2001, IP66

## Packaging and Weights

Page 3 of 4



# A5HF-D

#### Weight, net

#### 160.5 g | 0.354 lb

#### Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.andrew.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant

#### \* Footnotes

**Insertion Loss Coefficient, typical**  $0.05\sqrt{-}$  freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** 

Immersion at specified depth for 24 hours

