

#### Type N Male Positive Lock for 3/8 in LDF2-50 cable

#### **Product Classification**

**Product Type**Wireless and radiating connector

Product Brand HELIAX®
Product Series LDF2-50

#### General Specifications

Body StyleStraightCable FamilyLDF2-50Inner Contact Attachment MethodCaptivatedInner Contact PlatingSilverInterfaceN Male

Mounting AngleStraightOuter Contact Attachment MethodRing-flareOuter Contact PlatingTrimetalPressurizableNo

#### **Dimensions**

 Height
 22.35 mm | 0.88 in

 Width
 22.35 mm | 0.88 in

 Length
 53.34 mm | 2.1 in


 Diameter
 22.35 mm | 0.88 in

Nominal Size 3/8 in

### Outline Drawing



## L2TNM-PL



#### **Electrical Specifications**

**3rd Order IMD at Frequency**-107 dBm @ 910 MHz **3rd Order IMD Test Method**Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.7 kW @ 900 MHz

Cable Impedance50 ohmConnector Impedance50 ohmdc Test Voltage2500 VInner Contact Resistance, maximum1 mOhmInsulation Resistance, minimum5000 MOhm

Operating Frequency Band 0 – 12000 MHz

Outer Contact Resistance, maximum 0.25 mOhm

Peak Power, maximum10 kWRF Operating Voltage, maximum (vrms)707 VShielding Effectiveness-110 dB

#### VSWR/Return Loss

Frequency Band VSWR Return Loss (dB)

**0–960 MHz** 1.036 35.05



### L2TNM-PL

960-2200 MHz	1.053	31.76
2200-2700 MHz	1.053	31.76
2700-4000 MHz	1.049	32.43
4000-6000 MHz	1.096	26.78
6000-8000 MHz	1.118	25.08
8000-10000 MHz	1.119	25.01
10000-12000 MHz	1.3	17.8

#### Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force671.68 N | 151 lbfConnector Retention Torque2.7 N-m | 23.897 in lbCoupling Nut Proof Torque1.7 N-m | 15.046 in lbCoupling Nut Retention Force449.98 N | 101.16 lbfCoupling Nut Retention Force MethodMIL-C-39012C-3.25, 4.6.22

Insertion Force27.98 N | 6.29 lbfInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

#### **Environmental Specifications**

Operating Temperature $-55 \,^{\circ}\text{C}$  to  $+85 \,^{\circ}\text{C}$  (-67  $^{\circ}\text{F}$  to  $+185 \,^{\circ}\text{F}$ )Storage Temperature $-65 \,^{\circ}\text{C}$  to  $+125 \,^{\circ}\text{C}$  (-85  $^{\circ}\text{F}$  to  $+257 \,^{\circ}\text{F}$ )

Attenuation, Ambient Temperature20 °C | 68 °FAverage Power, Ambient Temperature40 °C | 104 °FAverage Power, Inner Conductor Temperature100 °C | 212 °FCorrosion Test MethodIEC 60068-2-11

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method IEC 60068-2-3

Thermal Shock Test Method IEC 60068-2-14



# L2TNM-PL

Vibration Test Method IEC 60068-2-6

Packaging and Weights

**Weight, net** 42.96 g | 0.095 lb

#### Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



#### \* Footnotes

**Insertion Loss Coefficient, typical** 0.05√ freq (GHz) (not applicable for elliptical waveguide)

**Immersion Depth** Immersion at specified depth for 24 hours

