400BPNM-C



Type N Male for CNT-400 braided cable

Product Classification

 Product Type
 Braided cable connector

 Product Brand
 CNT® | ConQuest®

General Specifications

Body StyleStraightInner Contact Attachment MethodCaptivatedInner Contact PlatingSilverInterfaceN Male

Outer Contact Attachment Method Clamp
Outer Contact Plating Trimetal

Dimensions

 Width
 20.25 mm | 0.797 in


 Length
 35.48 mm | 1.397 in

 Diameter
 20.25 mm | 0.797 in

Nominal Size 0.405 in

Outline Drawing





Electrical Specifications

Insertion Loss, typical 0.05 dB **Cable Impedance** 50 ohm **Connector Impedance** 50 ohm 2500 V dc Test Voltage **Inner Contact Resistance, maximum** 1 m0hm Insulation Resistance, minimum 5000 MOhm 0 - 6000 MHz **Operating Frequency Band Outer Contact Resistance, maximum** 0.25 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

 Frequency Band
 VSWR
 Return Loss (dB)

 0-3000 MHz
 1.046
 32.96

 3000-6000 MHz
 1.18
 22

Mechanical Specifications

Connector Retention Tensile Force330 N | 74.187 lbfConnector Retention Torque0.56 N-m | 4.956 in lb

ANDREW® an Amphenol company

400BPNM-C

Coupling Nut Proof Torque 1.7 N-m | 15.046 in lb

Coupling Nut Proof Torque Method IEC 61169-16:9.3.6

Coupling Nut Retention Force 450 N | 101.164 lbf

Coupling Nut Retention Force Method IEC 61169-16:9.3.11

Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method IEC 60068-2-27

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C to} +85 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to} +185 \,^{\circ}\text{F})$

Storage Temperature $-65 \,^{\circ}\text{C}$ to $+125 \,^{\circ}\text{C}$ (-85 $^{\circ}\text{F}$ to $+257 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power, Ambient Temperature 40 °C | 104 °F

Average Power, Inner Conductor Temperature 100 °C | 212 °F

Climatic Sequence Test Method IEC 60068-1

Corrosion Test Method IEC 60068-2-11

Damp Heat Steady State Test Method IEC 60068-2-3

Immersion Depth 1 m

Immersion Test Mating Mated

Immersion Test Method IEC 60529:2001, IP68

Thermal Shock Test Method IEC 60068-2-14

Vibration Test Method IEC 60068-2-6

Packaging and Weights

Agency

Weight, net 37.55 g | 0.083 lb

Regulatory Compliance/Certifications

CHINA-ROHS Below maximum concentration value ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Classification

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



400BPNM-C



* Footnotes

Insertion Loss, typical 0.05√-freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

