

- RADIAFLEX® functions as a distributed antenna to provide communications in tunnels, mines and large building complexes and is the solution for any application in confined areas.
- Slots in the copper outer conductor allow a controlled portion of the internal RF energy to be radiated into the surrounding environment. Conversely, a signal transmitted near the cable will couple into the slots and be carried along the cable length.
- RADIAFLEX® is used for both one-way and two-way communication systems and because of its broadband capability, a single radiating cable can handle multiple communication systems simultaneously.
- This RADIAFLEX® radiating cable utilize a low-loss cellular polyethylene foam dielectric and a corrugated copper outer conductor which offers a combination of remarkable flexibility, high strength and excellent electrical performance.

FEATURES / BENEFITS

- Broadband radiating cable supporting all wireless application between 75 MHz to 6000 MHz
- Ideally suited for application that require low bending radii
- Robust radiating cable operational under all environmental conditions as e.g. harsh tunnels or



Technical features

GENERAL SPEC	IFICATIONS
---------------------	------------

Size

Size		172	
ELECTRICAL SPECIFICATIONS			
Max. Operating Frequency	MHz	6000	
Cable Type		RCF	
Impedance	Ohm	50 +/- 2	
Velocity, percent	%	88	
Capacitance	pF/m (pF/ft)	76 (23.2)	
Inductance, uH/m (uH/ft)	μH/m (μH/ft)	0.19 (0.058)	
DC-resistance inner conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	1.57 (0.48)	
DC-resistance outer conductor, ohm/km (ohm/1000ft)	Ω/km (Ω/1000ft)	3.48 (1.06)	
Stop bands	MHz	None	
Frequency Selection	MHz	600, 900, 1800/1900, 2200, 2400, 2500, 2700, 6000	

1/2

RCF12-50JFN REV: B REV DATE: 30 Nov 2023 www.rfsworld.com



Jacket		JFN		
Jacket Color		Standard Black, other colors on request		
Jacket Description		Halogen free, non corrosive, flame retardant, low smoke, polyolefin		
Slot Design		Milled (Two-Row)		
Inner Conductor Material		Copper Clad Aluminum Wire		
Outer Conductor Material		Corrugated Copper Tube		
Diameter Inner Conductor	mm (in)	4.8 (0.19)		
Diameter Outer Conductor	mm (in)	13.8 (0.54)		
Diameter over Jacket Nominal	mm (in)	16 (0.63)		
Minimum Bending Radius, Single Bend	mm (in)	125 (4.9)		
Cable Weight	kg/m (lb/ft)	0.22 (0.15)		
Tensile Force	N (lb)	1100 (247)		
Indication of Slot Alignment		None		
Recommended / Maximum Clamp Spacing	m (ft)	0.6 (2)		
Minimum Distance to Wall	mm (in)	50 (1.97)		
TESTING AND ENVIRONMENTAL				
		Test methods for fire behaviour of cable :		
Jacket Testing Methods		IEC 60754-1/-2 smoke emission: halogen free, non corrosive IEC 61034 low smoke		

TEMPERATURE SPECIFICATIONS		
Storage Temperature	°C(°F)	-70 to 85 (-94 to 185)
Installation Temperature	°C(°F)	-25 to 60 (-13 to 140)

IEC 60332-1 flame retardant

-40 to 85 (-40 to 185)

RCF12-50JFN REV : B REV DATE : 30 Nov 2023 www.rfsworld.com

°C(°F)

Operation Temperature



ATTENUATION AND POWER RATING

Frequency, MHz	Longitudinal Loss, dB/100 m (dB/100 ft)	Coupling Loss 50%, dB	Coupling Loss 95%, dB	
75	2.20 (0.67)	50	62	
150	3.15 (0.96)	59	71	
450	5.70 (1.74)	67	79	
800	7.83 (2.39)	67	79	
870	8.25 (2.51)	66	79	
900	8.40 (2.56)	66	78	
960	8.65 (2.64)	66	78	
1800	13.1 (3.99)	68	80	
1900	13.6 (4.15)	69	81	
2000	14.0 (4.27)	72	84	
2200	14.7 (4.48)	70	82	
2400	15.3 (4.66)	70	82	
2600	15.9 (4.85)	70	82	
5000	24.8 (7.56)	75	87	
5200	25.7 (7.83)	75	87	
5800	27.6 (8.41)	75	87	
6000	29.9 (8.81)	75	87	

External Document Links

Notes

- Coupling loss as well as longitudinal attenuation of RADIAFLEX® cables are measured by the free space method according to IEC 61196-4.
- Coupling loss values are average values of all three spatial orientations (radial, parallel and orthogonal) of dipole antenna.
- Coupling loss values are given with a tolerance of +10 dB and longitudinal loss values with a tolerance of +5%. Note: Measured values below nominal are better. They are not limited by any tolerance-range.
- As with any radiating cable, the performance in building or tunnel environments may deviate from figures based on free space method.

RCF12-50JFN REV : B REV DATE : 30 Nov 2023 www.rfsworld.com