# CELLMAX-D-CPUSE



Cell-Max™ Directional In-building Antenna, 698–960 MHz, 1710–2700 MHz

• This product is part of the ANDREW Wired for Wireless® Solution

Product Classification	
Product Type	In-building antenna
Product Brand	Cell-Max™
General Specifications	
Application	Indoor
Antenna Type	Directional
Antenna Array Characteristic	SISO
Polarization	Vertical
Color	White (RAL 9016)
Mounting	4-hole wall mounting plate and hardware (included)
Number of Ports	1
Pigtail Cable	RG85U, plenum rated
Radome Material	ABS
RF Connector Interface	N Female
Dimensions	
Width	180 mm   7.087 in
Depth	44 mm   1.732 in
Length	210 mm   8.268 in
Pigtail Length	260 mm   10.236 in


Page 1 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

# CELLMAX-D-CPUSE

### Outline Drawing





### **Electrical Specifications**

Impedance	50 ohm
Operating Frequency Band	1710 – 2700 MHz   698 – 960 MHz
Electrical Note	Values typical, unless otherwise stated

#### **Electrical Specifications**

Frequency Band, MHz	698-800	800-960	1710-2170	2200-2700
Gain, dBi	5.1	5.8	8.7	6.9
Beamwidth, Horizontal, degrees	128	94	60	54
Beamwidth, Vertical, degrees	85	82	57	38
VSWR   Return loss, dB	1.8   10.9	1.5   14.0	1.5   14.0	1.5   14.0
Input Power per Port, maximum, watts	50	50	50	50

#### **Environmental Specifications**

Operating Temperature	-40 °C to +60 °C (-40 °F to +140 °F)
Relative Humidity	Up to 100%

#### Packaging and Weights

Width, packed

190 mm | 7.48 in

Page 2 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

# CELLMAX-D-CPUSE

Depth, packed	55 mm   2.165 in
Length, packed	250 mm   9.843 in
Packaging quantity	1
Weight, gross	0.6 kg   1.323 lb
Weight, net	0.4 kg   0.882 lb

### Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.andrew.com/ProductCompliance
ROHS	Compliant
UK-ROHS	Compliant



Page 3 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025