

19" CTB patching box

Description

Features

- Space saving 19" rack installation
- Cable entry from the front and back for up to 3 MASTERLINE cable systems
- Pullout tray for easy access
- Fitted with 6, 12, 18 or 24 LC duplex adapter
- 3 mandrels for overlength management of the MASTERLINE cable system
- Optional patchcord guide available



Technical data

Specifications

Dimensions (W x D x H)	482 mm x 209 mm x 43.5 mm (1 unit)
Connectivity	6, 12, 18 or 24 LC duplex adapter blue
Cable entry front or back	3 x MASTERLINE Classic 12 fiber or 24 fiber (small divider) 1 x MASTERLINE Classic 36 fiber (medium divider)
Material	powder coated steel
Weight	3 kg
Color	RAL 7035 light grey




Installation



19" CTB patching box

<p>Fixation of the divider, front or back entry</p>		
<p>Patchcord guide optional available</p>		

Ordering information

Description	item	
<p>19" patching box 6 LC duplex adapter blue 18 blind caps extendible to 24 LC duplex adapter</p>	<p>85028405</p>	
<p>19" patching box 12 LC duplex adapter blue 12 blind caps extendible to 24 LC duplex adapter</p>	<p>85028406</p>	
<p>19" patching box 18 LC duplex adapter blue 6 blind caps extendible to 24 LC duplex adapter</p>	<p>85028407</p>	

19" CTB patching box

<p>19" patching box 24 LC duplex adapter blue</p>	<p>85028408</p>	
<p>Patchcord guide Including 3 screws and nuts for the mounting at the 19" CTB patching box</p>	<p>84125960</p>	

Related documents

Wireless Infrastructure catalogue:

<http://literature.hubersuhner.com/Marketsegments/Communication/WirelessInfrastructureCatalogueEN/>