

Ultra Low Loss Coaxial cables with FME-connector



DESCRIPTION

- The applied RG 174 FME Low Loss coaxial cables are special Procom-designs having the lowest loss possible for RG 174-type coaxial cable (below 0.6 dB per m at 900 MHz for RG 174) and a very precise 50 Ω characteristic impedance.
- The cables are produced under continuous automatic control to ensure the high quality.
- In the design of the FME-connectors the SWR has been minimized ensuring low mismatch loss and maximum power transfer.

ORDERING

Type	Product No.	Description
1 m FME RG 174 LL	130000504	1 m RG 174 Low Loss coaxial cable with FME-connector mounted at both ends
2 m FME RG 174 LL	130000520	2 m RG 174 Low Loss coaxial cable with FME-connector mounted at both ends
3 m FME RG 174 LL	130000519	3 m RG 174 Low Loss coaxial cable with FME-connector mounted at both ends
4 m FME RG 174 LL	130000551	4 m RG 174 Low Loss coaxial cable with FME-connector mounted at both ends
5 m FME RG 174 LL	130000552	5 m RG 174 Low Loss coaxial cable with FME-connector mounted at both ends
6 m FME RG 174 LL	130000515	6 m RG 174 Low Loss coaxial cable with FME-connector mounted at both ends

SPECIFICATIONS