

# LHM600 Upgrade-Kit Charging Cradle

Charging car mount for the TETRA portable  
radio MXP600

## Article Number

01 6509 00110251



## Characteristics

- Simple upgrade from the MTP850 charging cradle to the MXP600 radio charging cradle
- Quick and time-saving conversion
- Wide operating voltage range
- Gold-plated hyperboloid cage contacts for maximum contact reliability and durability
- Clever light design: LED strips indicate the charging status; positioning LED for ideal charging position of the radio
- Suitable for radios with large or small clip
- Sophisticated guiding and locking mechanisms ensure that the radio sits perfectly in the holder
- Keypad, side buttons and accessory connection are still accessible when the radio is in the holder
- Charging is still controlled by the radio, thus preserving battery life
- Supports all rechargeable batteries that are also supported by the radio
- Connection cable complies with UN regulation UN/ECE R-118 (ISO 6722 Chapter 12) and thus meets the regulations issued by the United Nations Economic Commission for Europe (UN/ECE) for the burning behaviour of interior materials in motor vehicles

## Scope of delivery

- Car Charging holder including adapter plate
- Rubber band
- Adapter cable from Molex 3-pin to DC hollow plug 2.1 mm

## Application range

- Motor vehicles

## Specifications

### General

|                       |   |
|-----------------------|---|
| Housing               | Plastic, black  |
| Operating voltage     | 8 to 32 V (DC) - ideal for cars and lorries                       |
| Storage temperature   | -30 °C to +60 °C  |
| Operating temperature | -20 °C to +60 °C  |
| Interfaces            | Vehicle battery/input for lighting                                |
| Power consumption     | Max. 2 A  |
| Scope of delivery     | Car charging cradle including mounting plate and connection cable |

### Dimensions and weight (without mounting plate)

|                  |  |
|------------------|--|
| Dimensions       | Width: 75 mm, depth: 69 mm, height: 110 mm |
| Weight           | 160 g                                      |
| Connection cable | 2,0 m                                      |

### Inputs and outputs

|          |   |
|----------|---|
| Entrance | Lighting for easy location of the charging cradle |
|----------|---|